

Child Health - CCG Indicators

	England		Kent and Medway		NHS Ashford CCG		NHS Canterbury And Coastal CCG		NHS Dartford, Gravesham And Swanley CCG		NHS South Kent Coast CCG		NHS Swale CCG		NHS Thanet CCG		NHS West Kent CCG	
	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17
Breastfeeding initiation																		
Number of women giving birth who initiate in the first 48 hours after delivery	74.3	74.6	70.9	72.7	71.6	76.6	73.9	76.8	64.5	65.2	0.0	73.5	62.7	63.1	66.5	72.5	79.4	78.8
Comparison with England			Not compared	Worse	Worse	Same	Same	Better	Worse	Worse	No Data	Same	Worse	Worse	Worse	Same	Better	Better
Infant mortality	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16
Crude rate per 1,000 population	3.89	3.88	3.14	3.52	3.60	3.51	2.97	4.28	3.34	4.16	3.81	3.64	2.79	3.64	3.69	4.78	2.30	2.23
Comparison with England			Not compared	Not compared	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Better	Better
Child mortality rate (1-17 years)	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16
Directly standardised rate - per 100,000	11.9	11.6	0.0	0.0	0.0	0.0	10.8	0.0	12.6	10.7	0.0	8.3	0.0	0.0	0.0	0.0	7.4	6.1
Comparison with England			No Data	No Data	No Data	No Data	Same	No Data	Same	Same	No Data	Same	No Data	No Data	No Data	No Data	Better	Better
Teenage mothers	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17
Proportion %	0.9	0.7	1.1	0.9	0.8	0.7	1.1	0.9	1.1	0.7	1.5	1.1	1.6	1.7	1.1	1.7	0.8	0.6
Comparison with England			Not compared	Not compared	Same	Same	Same	Same	Same	Same	Worse	Same	Worse	Worse	Same	Worse	Same	Same
MMR vaccination for one dose (2 years)	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17
Proportion %	91.4	90.0	89.9	88.4	91.6	86.9	88.7	87.8	90.9	88.2	89.3	89.2	89.7	85.3	90.8	90.5	90.0	89.9
Comparison with England			Not compared	Worse	Same	Worse	Worse	Worse	Same	Worse	Worse	Same	Worse	Worse	Same	Same	Worse	Same
Dtap / IPV / Hib vaccination (2 years)	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17
% received 3 doses by 2nd birthday	95.1	95.1	91.6	92.8	94.6	92.4	90.8	92.0	91.0	92.9	93.2	93.3	94.6	94.4	93.9	93.6	88.9	93.5
Comparison with England			Not compared	Worse	Same	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Same	Same	Worse	Worse	Worse	Worse

Child Health - CCG Indicators

[illegible]

[illegible]

Child Health - CCG Indicators

Indicator	England		Kent and Medway		NHS Ashford CCG		NHS Canterbury And Coastal CCG		NHS Dartford, Gravesham And Swanley CCG		NHS South Kent Coast CCG		NHS Swale CCG		NHS Thanet CCG		NHS West Kent CCG	
Child mortality rate (1-17 years)	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16
Directly standardised rate of death due to all causes - per 100,000	11.91	11.60	0.00	0.00	0.00	0.00	10.76	0.00	12.62	10.70	0.00	8.30	0.00	0.00	0.00	0.00	7.42	6.10
Comparison with England			No Data	No Data	No Data	No Data	Same	No Data	Same	Same	No Data	Same	No Data	No Data	No Data	No Data	Better	Better
Children killed and seriously injured (KSI) on England's roads	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16
Children aged 0 - 15 killed or seriously injured on roads	16.99	17.14	16.62	20.38	23.67	20.85	13.80	19.69	18.25	19.23	13.93	25.05	20.66	18.85	26.83	31.77	13.72	17.41
Comparison with England			Not compared	Not compared	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Worse	Same	Same
Hospital admissions as a result of self-harm (10-24 years)	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17
Crude rate per 1,000 population	422.81	417.37	0.00	0.00	392.71	294.37	377.94	371.49	460.05	349.00	420.85	386.81	341.04	266.20	363.74	350.11	407.05	422.21
Comparison with England			No Data	No Data	Same	Better	Same	Same	Same	Better	Same	Same	Same	Better	Same	Same	Same	Same
Hospital admissions due to substance misuse (15-24 years)	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17
Directly standardised rate of hospital admission for substance misuse, per	94.02	89.65	0.00	0.00	87.46	74.23	111.43	99.93	102.78	97.10	158.35	151.69	73.39	84.44	121.43	108.31	93.38	88.40
Comparison with England			No Data	No Data	Same	Same	Same	Same	Same	Same	Worse	Worse	Same	Same	Same	Same	Same	Same

Child Health - District Indicators

Indicator	England		Kent		Ashford		Canterbury		Dartford		Dover		Folkestone & Hythe		Gravesham		Maidstone		Sevenoaks		Swale		Thanet		Tonbridge and Malling		Tunbridge Wells	
3.02 - Chlamydia detection rate / 100,000 aged 15-24	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017
Crude rate per 100,000 population	1916.9	1881.9	1229.4	1272.3	1212.8	1729.5	1321.4	1630.9	879.6	959.6	1107.3	889.1	1396.6	1663.8	936.7	1042.6	1453.1	1225.7	751.6	990.8	1186.1	1084.8	1578.5	1249.1	1350.1	1074.4	1162.7	1154.4
Comparison with England			Worse	Worse	Worse	Same	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Same	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse
Chlamydia proportion aged 15-24 screened	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017	2016	2017
Proportion %	21.0	19.3	15.5	14.1	15.7	16.1	17.4	17.0	11.0	10.0	11.6	10.4	15.9	16.7	14.1	12.8	18.0	14.9	13.6	12.4	14.9	12.2	15.5	13.4	16.6	13.9	16.3	14.4
Comparison with England			Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse	Worse
4.02 - Proportion of five year old children free from dental decay	None	2014/15	None	2014/15	None	2014/15	None	2014/15	None	2014/15	None	2014/15	None	2014/15	None	2014/15	None	2014/15	None	2014/15	None	2014/15	None	2014/15	None	2014/15	None	2014/15
Proportion %	No data	75.2	No data	83.4	No data	84.5	No data	84.9	No data	81.5	No data	87.5	No data	83.8	No data	78.5	No data	78.9	No data	86.6	No data	81.6	No data	82.7	No data	86.9	No data	82.1
Comparison with England			No data	Better	No data	Better	No data	Better	No data	Better	No data	Better	No data	Better	No data	Same	No data	Same	No data	Better	No data	Better	No data	Better	No data	Better	No data	Better
Admission episodes for alcohol-specific conditions - Under 18s	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17	2013/14 - 15/16	2014/15 - 16/17
Crude rate per 100,000 population	37.38	34.19	28.92	25.57	27.99	27.82	59.61	44.58	25.30	28.98	21.85	20.47	52.80	37.30	28.74	18.92	24.71	23.40	33.30	24.09	33.55	39.44	49.34	43.62	45.00	41.24	25.02	22.52
Comparison with England			Same	Same	Same	Same	Worse	Same	Same	Same	Better	Same	Same	Same	Same	Better	Better	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same
Infant mortality	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16	2013 - 15	2014 - 16
Crude rate per 1,000 population	3.9	3.9	3.0	3.5	3.6	3.5	2.6	4.4	3.8	4.7	4.3	4.0	3.4	3.1	3.3	4.4	2.2	2.3	2.4	2.3	2.9	3.8	3.7	4.8	2.4	2.1	2.2	1.9
Comparison with England			Better	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Better	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same
Smoking status at time of delivery	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17
Proportion %	10.99	10.71	13.08	13.78	11.49	12.25	12.38	15.17	10.97	9.74	16.48	19.57	17.02	20.14	10.97	9.74	9.66	9.73	10.16	9.74	19.10	20.82	19.30	19.74	9.66	9.73	9.66	9.73
Comparison with England			Worse	Worse	Same	Same	Same	Worse	Same	Same	Worse	Worse	Worse	Worse	Same	Same	Same	Same	Same	Same	Worse	Worse	Worse	Worse	Same	Same	Same	Same

Child Health - District Indicators

Indicator	England		Kent		Ashford		Canterbury		Dartford		Dover		Folkestone & Hythe		Gravesham		Maidstone		Sevenoaks		Swale		Thanet		Tonbridge and Malling		Tunbridge Wells	
Low birth weight of term babies	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016
Proportion %	2.8	2.8	2.2	2.2	2.0	1.8	2.0	1.9	1.0	3.0	1.7	2.9	2.9	2.2	2.7	2.4	1.8	1.5	1.7	1.5	3.1	2.3	3.0	2.3	1.9	1.6	2.7	3.2
Comparison with England			Better	Better	Same	Better	Same	Same	Better	Same	Better	Same	Same	Same	Same	Same	Better	Better	Better	Better	Same	Same	Same	Same	Same	Better	Same	Same
Breastfeeding initiation	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17	2014/15	2016/17
Number of women giving birth who initiate in the first 48 hours after	74.3	74.6	71.3	0.0	71.3	76.3	74.9	77.6	66.8	65.6	0.0	0.0	70.7	75.9	0.0	66.6	75.8	75.0	0.0	0.0	63.8	64.7	66.7	72.5	76.9	76.1	84.7	84.5
Comparison with England			Worse	No Data	Worse	Same	Same	Better	Worse	Worse	No Data	No Data	Worse	Same	No Data	Worse	Same	Same	No Data	No Data	Worse	Worse	Worse	Same	Better	Same	Better	Better
Children in poverty (all dependent children under 20)	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015
Proportion %	19.9	16.6	17.9	15.5	16.6	14.8	17.8	15.1	15.7	13.2	22.2	18.5	21.6	19.0	19.2	16.5	14.8	13.0	12.8	11.2	23.0	20.3	26.9	22.6	12.7	11.2	10.7	9.4
Comparison with England			Better	Better	Better	Better	Better	Better	Better	Better	Worse	Worse	Worse	Worse	Better	Same	Better	Better	Better	Better	Worse	Worse	Worse	Worse	Better	Better	Better	Better
Children in poverty (under 16s)	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015	2014	2015
Proportion %	20.1	16.8	18.4	15.9	17.2	15.3	18.2	15.5	16.2	13.6	22.9	19.0	22.1	19.4	19.7	17.0	15.2	13.4	13.2	11.6	23.6	20.9	27.9	23.1	13.1	11.5	11.0	9.7
Comparison with England			Better	Better	Better	Better	Better	Better	Better	Better	Worse	Worse	Worse	Worse	Same	Same	Better	Better	Better	Better	Worse	Worse	Worse	Worse	Better	Better	Better	Better
GCSEs achieved (5A*-C including English & Maths)	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16
Proportion %	57.30	57.77	56.85	58.65	52.52	55.27	52.99	58.68	59.55	62.62	53.28	53.70	52.09	50.75	60.10	61.76	61.86	61.53	67.38	67.75	52.86	55.18	41.76	47.55	60.92	62.01	71.01	71.44
Comparison with England			Same	Better	Worse	Same	Worse	Same	Same	Better	Worse	Worse	Worse	Worse	Same	Better	Better	Better	Better	Better	Worse	Worse	Worse	Worse	Better	Better	Better	Better
Pupil absence	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16	2014/15	2015/16
Proportion %	4.6	4.6	4.9	4.7	5.1	5.2	4.9	4.7	4.6	4.3	4.9	4.8	5.0	4.8	5.0	4.5	4.7	4.7	4.4	4.3	5.2	4.9	5.0	5.1	4.7	4.7	4.7	4.5
Comparison with England			Worse	Worse	Worse	Worse	Worse	Same	Same	Same	Same	Same	Same	Same	Worse	Same	Same	Same	Same	Same	Worse	Worse	Worse	Worse	Same	Same	Same	Same

Child Health - District Indicators

Indicator	England		Kent		Ashford		Canterbury		Dartford		Dover		Folkestone & Hythe		Gravesham		Maidstone		Sevenoaks		Swale		Thanet		Tonbridge and Malling		Tunbridge Wells		
Reception: Prevalence of overweight (including obese)	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	
Proportion %	22.1	22.6	23.0	24.4	26.1	25.7	15.0	19.5	25.3	24.9	25.4	25.6	24.4	24.8	26.0	28.0	23.1	23.9	20.9	25.5	22.5	21.0	22.9	26.7	20.9	23.5	24.6	25.0	
Comparison with England			Worse	Worse	Worse	Worse	Better	Better	Worse	Worse	Worse	Worse	Same	Same	Worse	Worse	Same	Same	Same	Worse	Same	Same	Same	Worse	Same	Same	Worse	Worse	
Year 6: Prevalence of overweight (including obese)	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	
Proportion %	34.2	34.2	32.9	32.8	34.6	32.2	28.1	31.4	36.0	36.9	36.8	34.6	35.7	35.9	36.4	38.3	32.3	31.7	27.1	27.8	34.9	32.6	36.2	37.1	28.8	29.1	27.2	26.1	
Comparison with England			Better	Better	Same	Same	Better	Better	Same	Same	Same	Same	Same	Same	Same	Worse	Same	Better	Better	Better	Same	Same	Same	Worse	Better	Better	Better	Better	
2.07i - Hospital admissions caused by unintentional and deliberate	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	
Crude rate per 10,000	104.2	112.7	94.4	110.1	88.9	107.5	94.6	88.4	115.4	144.0	90.6	102.1	84.4	88.9	108.1	137.5	76.6	96.6	98.7	108.3	100.9	126.5	109.7	101.0	91.5	111.3	77.4	111.8	
Comparison with England			Better	Same	Better	Same	Same	Better	Same	Worse	Same	Same	Better	Better	Same	Worse	Better	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Better	Same
2.07ii - Hospital admissions caused by unintentional and deliberate	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	2015/16	2016/17	
Standardised rate per 100,000	134.1	131.8	137.3	144.3	133.7	104.7	111.2	75.6	175.1	164.8	130.6	124.5	142.9	108.5	127.8	168.0	152.4	266.0	137.4	176.0	144.3	124.8	161.0	115.2	121.4	167.9	142.5	213.5	
Comparison with England			Same	Worse	Same	Better	Better	Better	Worse	Worse	Same	Same	Same	Same	Same	Worse	Worse	Worse	Same	Worse	Same	Same	Worse	Same	Same	Worse	Same	Worse	
Under 18s conception rate / 1,000 (PHOF indicator 2.04)	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	2015	2016	
Crude rate per 1,000 females aged 15-17 population	20.8	18.8	20.6	18.5	18.7	18.8	14.7	17.8	22.3	16.6	26.4	23.9	25.0	22.9	22.3	18.7	20.4	18.1	10.3	9.9	29.4	26.5	35.6	26.9	12.1	10.5	11.5	11.8	
Comparison with England			Same	Same	Same	Same	Better	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Same	Better	Better	Worse	Worse	Worse	Worse	Better	Better	Better	Better	
1.10 - Killed and seriously injured (KSI) casualties on England's roads	2013-15	2014-16	2013-15	2014-16	2013-15	2014-16	2013-15	2014-16	2013-15	2014-16	2013-15	2014-16	2013-15	2014-16	2013-15	2014-16	2013-15	2014-16	2013-15	2014-16	2013-15	2014-16	2013-15	2014-16	2013-15	2014-16	2013-15	2014-16	
Count	38.5	39.7	41.6	47.6	52.2	55.5	36.8	39.2	43.7	50.4	36.3	43.3	41.7	55.4	32.3	40.5	38.5	49.0	58.9	60.2	37.9	42.4	39.0	47.7	35.6	47.7	49.1	42.7	
Comparison with England			Worse	Worse	Worse	Worse	Same	Same	Same	Worse	Same	Same	Same	Worse	Same	Same	Same	Worse	Worse	Worse	Same	Same	Same	Worse	Same	Worse	Worse	Same	

Child Health - Kent Indicators

Indicator	England				South East region				Kent			
3.03xvi - Population vaccination coverage - HPV vaccination coverage for two doses (females 13-14 years old)	None	None	2015/16	2016/17	None	None	2015/16	2016/17	None	None	2015/16	2016/17
Proportion %	No data	No data	85.1	83.1	No data	No data	84.8	84.3	No data	No data	80.3	75.1
Comparison with England					No data	No data	Same	Better	No data	No data	Worse	Worse
Hospital admissions as a result of self-harm	2013/14	2014/15	2015/16	2016/17	2013/14	2014/15	2015/16	2016/17	2013/14	2014/15	2015/16	2016/17
Crude rate per 100,000 population	220.5	224.1	225.1	211.6	180.2	186.2	181.6	179.6	142.7	139.0	123.4	116.4
Comparison with England					Not compared	Not compared	Not compared	Not compared	Better	Better	Better	Better
2.09ii - Smoking prevalence at age 15 - regular smokers (WAY survey)	None	None	None	2014/15	None	None	None	2014/15	None	None	None	2014/15
Proportion %	No data	No data	No data	4.80	No data	No data	No data	5.82	No data	No data	No data	7.31
Comparison with England					No data	No data	No data	Worse	No data	No data	No data	Worse
1.05 - 16-18 year olds not in education employment or training - historical method	2012	2013	2014	2015	2012	2013	2014	2015	2012	2013	2014	2015
Proportion %	5.80	5.30	4.67	4.18	5.40	5.10	4.20	3.86	6.40	5.80	4.70	4.96
Comparison with England					Better	Better	Better	Better	Worse	Worse	Same	Worse
1.02i - School Readiness: the percentage of children with free school meal status achieving a good level of development at the end of reception	2013/14	2014/15	2015/16	2016/17	2013/14	2014/15	2015/16	2016/17	2013/14	2014/15	2015/16	2016/17
Proportion %	36.4	42.6	45.8	48.1	37.2	44.1	47.6	47.5	43.5	51.1	49.1	48.2
Comparison with England					Same	Better	Better	Same	Better	Better	Better	Same

[illegible]

Notes

Data sourced from Public Health England Child and Maternal Health profiles -
<https://fingertips.phe.org.uk/profile/child-health-profiles>

Prepared by KPHO (MP) – October 2018

If this is needed in an accessible format please contact kpho@kent.gov.uk